

VDSU



United States Department of Agriculture
Animal and Plant Health Inspection Service

RBACON

2016082568055082 Insp_id

Inspection Report

Deborah L Snyder
Doug Smoot
2988 Limestone Rd.
Clifton, KS 66937

Customer ID: 40481

Certificate: 48-A-2003

Site: 002

Deborah Snyder, Doug Smoot - 002

Type: ROUTINE INSPECTION
Date: 18-JAN-2017

3.1(f)


HOUSING FACILITIES, GENERAL.

• The ground surface consisting of a mud and standing water mixture was observed in one outdoor enclosure housing three dogs. The mud and standing water is covering an estimated 50 to 60 percent of surface area being provided to the dogs. Mud can cause potential soiling on the dogs. Standing water can create an environment for the spread of diseases. Dogs not able to remain dry and clean at all times can have a negative effect on the health and well-being of the dogs. The licensee must ensure that housing facilities are equipped with drainage systems that rapidly eliminate water and animals stay dry. It also must minimize vermin and pest infestation, insects, odors and disease hazards. Correct by 2/1/17.

• The facility inspection and verbal exit briefing done on 1/18/17 were conducted with the licensee.

• Copy of inspection report was sent by certified and regular mail.

Prepared By:


ROBERT BACON USDA, APHIS, Animal Care

Date:
19-JAN-2017

Title: ANIMAL CARE INSPECTOR 4001

Received By:

CERTIFIED MAIL

Title: 70151730000108301186

Date:
19-JAN-2017

AVERY®
POLY-VU

CI
T
a
B
N